


ABS

ABS (Anti-lock Braking System) helps prevent individual wheels from locking up under hard braking.



EBD

EBD (Electronic Brakeforce Distribution) electronically adjusts braking force between front and rear axles to reduce stopping distance.



Dual SRS Airbags

In the event of a crash, its dual SRS airbags offer protection for both driver and front passenger. Used in tandem with the 3-point ELR seatbelts, they provide an excellent degree of safety.



Seat Belt Pre-tensioners

The driver and front passenger's seatbelts are available with pre-tensioners that reel in to secure the occupants in the initial moments of impact.



Immobilizer

It comes with an immobilizer and alarm system, and is equipped with wave-sensors that will trigger the alarm in the event of an intrusion.



Anti-pinch Power Window

To avoid any risk of injury when winding up windows, a sensor will automatically wind down the window if it detects any obstruction.

SMALL IS MORE CONVENIENT

Clever use of space allows the Mirage to maximise utility and enhance convenience.

EASY DRIVE



Thin A Pillars

Low Belt-line



Best In-Class Turning Radius



PRACTICAL SPACE AND UTILITY



60:40 Rear Split Folding Seats



Dual Compartment Dash Area



Dual Front Cup Holders



Utility Hook



Tonneau Cover* (Hard type)



3 Height-adjustable **Rear Headrests**



Seat Height Adjuster (Driver's seat)

SMALL IS MORE CUSTOMISABLE

Make it truly your own with an exclusive range of original accessories.

AERO PACKAGE



Front Corner Extension













CHROME PACKAGE



Fog Lamp Garnish



Front Bumper Plating Garnish





Scuff Plates

STANDARD EQUIPMENT

MODEL NAME	MITSUBISHI MIRAGE	
VARIANT	GS	GL
TRANSMISSION	CVT	CVT / MT
EXTERIOR		
FRONT GRILLE	Black	
FRONT BUMPER	Colour-Keyed	
HEADLAMP	Halogen	
FRONT FOG LAMP	With	-
DOOR HANDLE	Colour-Keyed	
OUTER MIRROR	Angle Power Adjustable	
SPOILER	With	-
ALLOY WHEEL	14"	
INTERIOR		
METER TACHO METER	With	
ODOMETER & TRIP	With, Digital Trip A/B	
MULTI INFORMATION DISPLAY		Туре
STEERING TYPE	3 Spoke Leather Wrapped	3 Spoke Urethane
STEERING COLUMN	Tilt	
SHIFT KNOB	Leather	Urethane
DOOR HANDLE	Chrome	
ROOM LAMP	With	
12V ACCESSORY SOCKET	With	
STORAGE FLOOR CONSOLE BOX	W	ith
GLOVE BOX	With (2 Tier)	
SEATBACK POCKET		enger
DOOR POCKETS CUP HOLDERS	With	
BOTTLE HOLDER	Front (2x), Centre (1x) Door Pockets (2x)	
SUNVISORS DRIVER PASSENGER	With Ticket Holde	r and Vanity Mirror
TONNEAU COVER	With	-

MODEL NAME		MITSUBISE	HI MIRAGE
VARIANT		GS	GL
TRANSMISSION		CVT	CVT / MT
FUNCTIONAL			
KEYLESS OPERATION SYSTEM		With	-
IGNITION MECHANISM		Push Start	Manual Key Insert
MANUAL HEADLAMP LEVELING SWITCH		W	ith
WIPER		W	ith
POWER WINDOWS		With Auto Up /	Down (Driver)
CENTER DOOR LOCK		W	ith
CHILD LOCK		W	ith
KEYLESS ENTRY		W	ith
REAR WINDOW DEFOGGER		W	ith
FUEL LID RELEASE		W	ith
AIR CONDITIONER T	YPE	Digital Auto	Manual
PARKING SENSOR		W	ith
SAFETY			
AIRBAG		Dual (Driver	+ Passenger)
FRONT PRETENSIONER + SEATBELT		With	(2x)
REAR SEATBELT		3-POIN	IT ELR
ISOFIX CHILD ANCHORAGE		W	ith
ABS		W	ith
EBD		W	ith
HIGH MOUNT STOP LAMP		LED Integrated Into Rear Spoiler	With
COLLAPSIBLE STEERING COLUMN		W	ith
IMMOBILIZER		W	ith
RISE BODY		W	ith

MODEL NAME		MITSUBISHI MIRAGE	
VARIANT		GS	GL
TRANSMISSION		CVT	CVT / MT
SEAT			
TYPE		Sepa	arate
MATERIAL		Fabric	
COLOUR	JR Black		ick
FRONT	SEAT SLIDE SEAT RECLINING SEAT VERTICAL ADJUSTER	Driver and Driver and Dri	Passenger
REAR	TYPE HEADRESTS	Foldable 6 3x Height Adjus	· · · · · · · · · · · · · · · · · · ·
HEIGHT ADJUSTA	BLE SEATBELT ANCHOR	Driver and	Passenger
AUDIO			
TYPE	2-DIN AUDIO MP3 and WMA USB and AUX-In	With iPod C W W	ith
SPEAKER		4	
ANTENNA		Bee Stir	ng Type





VEHICLE SPECIFICATIONS

MODEL NAM	E		MITSUBISH	II MIRAGE
VARIANT		GS / GL (CVT)	GL (MT)	
DRIVE SYSTEM		2WD		
TRANSMISSION		CVT	MT	
			CVI	IVII
DIMENSIONS & WEIGHTS OVERALL LENGTH mm		3,710		
OVERALL WIDTH mm		1,665		
	OVERALL HEIGHT mm		1,500	
WHEELBASE		mm	2,450	
TRACK	FRONT	mm	1,430	
	REAR	mm	1,415	
MIN. GROUND	CLEARANCE	mm	160	
KERB WEIGHT		kg	850	825
MIN. TURNING	RADIUS	m	4.	4
SEATING CAPA	CITY		5	
ENGINE				
TYPE			1.2 Litre, 12 Valve In-Line	3, DOHC MIVEC (3A92)
DISPLACEMEN'	Т	СС	1,193	
BORE x STROK	E		75.0 x 90.0	
COMPRESSION	RATIO		10.5	
MAX. OUTPUT	(EEC NET)	kW(PS)/rpm	57 (78) / 6,000	
MAX. TORQUE	(EEC NET)	N-m(kg-m)/rpm	100 (10.2) / 4,000	
ELECTRICAL &	FUEL SYSTEM			
FUEL SUPPLY EQUIPMENT		ECI-MULTI (Electronic Controlled Injection - Multi-Point)		
			(Electronic Controlled	
FUEL TANK CAI		Litre	(Electronic Controlled	Injection - Multi-Point)
	PACITY	Litre		Injection - Multi-Point)
FUEL TANK CAI	PACITY	Litre		Injection - Multi-Point)
FUEL TANK CAI	PACITY	Litre D RANGE	3: INVECS-III CVT	Injection - Multi-Point) 5 5-SPEED MANUAL
FUEL TANK CAI TRANSMISSION TYPE	PACITY		38 INVECS-III CVT (F1CJB)	Injection - Multi-Point) 5 5-SPEED MANUAL (F5MBD)
FUEL TANK CAI TRANSMISSION TYPE	PACITY	D RANGE	38 INVECS-III CVT (F1CJB) 4.007 - 0.550	Injection - Multi-Point) 5 5-SPEED MANUAL (F5MBD) -
FUEL TANK CAI TRANSMISSION TYPE	PACITY	D RANGE 1ST	38 INVECS-III CVT (F1CJB) 4.007 - 0.550	5-SPEED MANUAL (F5MBD) - 3.545
FUEL TANK CAI TRANSMISSION TYPE	PACITY	D RANGE 1ST 2ND	38 INVECS-III CVT (F1CJB) 4.007 - 0.550	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973
FUEL TANK CAI TRANSMISSION TYPE	PACITY	D RANGE 1ST 2ND 3RD	38 INVECS-III CVT (F1CJB) 4.007 - 0.550	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310
FUEL TANK CAI TRANSMISSION TYPE	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH	38 INVECS-III CVT (F1CJB) 4.007 - 0.550 - - - - -	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804
FUEL TANK CAI TRANSMISSION TYPE	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	38 INVECS-III CVT (F1CJB) 4.007 - 0.550 - - - - - - - - 3.771	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH	38 INVECS-III CVT (F1CJB) 4.007 - 0.550 - - - - -	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	38 INVECS-III CVT (F1CJB) 4.007 - 0.550 3.771 3.757	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO STEERING TYPE	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	38 INVECS-III CVT (F1CJB) 4.007 - 0.550 - - - - - - - - 3.771	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO STEERING TYPE SUSPENSION	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	38 INVECS-III CVT (F1CJB) 4.007 - 0.550 3.771 3.757 Rack & pinion (Elect	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO STEERING TYPE SUSPENSION FRONT	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	3: INVECS-III CVT (F1CJB) 4.007 - 0.550 3.771 3.757 Rack & pinion (Elect	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055 tric power assisted)
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO STEERING TYPE SUSPENSION FRONT REAR	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	38 INVECS-III CVT (F1CJB) 4.007 - 0.550 3.771 3.757 Rack & pinion (Elect	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055 tric power assisted)
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO STEERING TYPE SUSPENSION FRONT REAR BRAKE	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	3: INVECS-III CVT (F1CJB) 4.007 - 0.550 3.771 3.757 Rack & pinion (Elect	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055 tric power assisted)
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO STEERING TYPE SUSPENSION FRONT REAR BRAKE FRONT	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	3: INVECS-III CVT (F1CJB) 4.007 - 0.550 3.771 3.757 Rack & pinion (Elect MacPhera Torsion	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055 tric power assisted)
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO STEERING TYPE SUSPENSION FRONT REAR BRAKE FRONT REAR	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	3: INVECS-III CVT (F1CJB) 4.007 - 0.550 3.771 3.757 Rack & pinion (Elect	5-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055 tric power assisted)
FUEL TANK CAI TRANSMISSION TYPE GEAR RATIO STEERING TYPE SUSPENSION FRONT REAR BRAKE FRONT	PACITY	D RANGE 1ST 2ND 3RD 4TH 5TH 6TH REVERSE	3: INVECS-III CVT (F1CJB) 4.007 - 0.550 3.771 3.757 Rack & pinion (Elect MacPhera Torsion	S-SPEED MANUAL (F5MBD) - 3.545 1.913 1.310 0.973 0.804 - 3.214 4.055 tric power assisted) son strut beam






White Pearl (W54)



Cool Silver Metallic (A66)





Presenting the new eco-friendly Mitsubishi Mirage. With our most fuel-efficient compact car, you'll never look at small the same way again. Apart from having an unrivalled fuel efficiency of 21 km/litre**, you'll find that this little wonder also boasts a host of premium features unheard of in its class like a Smart Key System, Push Start Button, 2-DIN audio system, 4ABS+EBD and dual SRS airbags. Things usually found only in bigger cars. Pretty amazing package for a small car, isn't it?

So don't judge a book by its cover. Read on and see just how much







HeadlampWide halogen headlamps
provide excellent illumination.



Rear Spoiler With Integrated LED Brake Light*

Enhances aerodynamic rear down force and creates a sportier look.



14" Alloy Rims
Lightweight wheels improve fuel economy and performance.



Smart Key*Hassle-free convenience
with Keyless Operation System.



Front Bumper

Designed for better aerodynamics resulting in greater fuel efficiency.



Front Fog Lamp*
Improves visibility during rainy days and generates greater sportiness.



Push Start Button*
Brings engine to life at a push of a button.

SMALL IS MORE **EFFICIENT**

Designed to travel further on less fuel with lower emissions, the Mirage is the eco-friendlier choice that's good for the environment.



21 km/Litre** Fuel Efficiency

With its best-in-class fuel efficiency, it can take you further on a single tank of petrol – up to a maximum range of 735 km.

** Based on New European Driving Cycle (NEDC).

Actual range and fuel consumption figures may vary depending on driving patterns.



Smooth Aerodynamic Design

Good aerodynamics is key to improving driving performance. It has a Coefficient of Drag of a mere 0.30Cd that is the best in its class. Lesser drag means lesser wind resistance, thus resulting in lesser fuel consumption.

MIVEC Engine

Its 1.2-litre DOHC 12-valve engine provides optimum performance and efficiency in a compact aluminium powerplant. Using MIVEC (Mitsubishi Innovative Valve timing Electronic Control) technology, it provides precise torque over high, mid and low rev ranges, resulting in efficient output even when cruising at high speed.



INVECS-III CVT*

To provide smooth acceleration and improved performance in various road and driving conditions, the engine is mated to an INVECS-III CVT transmission.

* Only available on CVT variants

Note: Some equipment may vary according to market. Please consult your local Mitsubishi dealer/distributor for more information.

SMALL IS MORE INTELLIGENT

Stunningly smart Keyless Operation System coupled with ETACS (Electronic Time and Alarm Control System), provide a touch of sophistication and effortless driving convenience.

KEYLESS OPERATION SYSTEM



Smart Key*



Gain entry and operate the Mirage without ever removing the smart key from your bag or pocket. Effective area is within approximately 70cm of the vehicle.



Driver's Side Lock and Release Button*



Tailgate Door Lock Button*

ETACS





Automatic Door Relock System

As a safety precaution, all doors automatically relock if any door is not opened within 30 seconds after the lock release button is pressed.





Cabin Interior 15-Second Delayed-Action Light Shutoff System

A convenient feature for checking on luggage or equipment inside the vehicle, the cabin lights remain lit for 15 second after the doors are closed before shutting off.



Push Start Button*

Automatic Light Shutoff System

The headlights automatically turn off when the engine is shut off or when the doors are opened, thus helping conserve the battery.



Lane Change Turn Signal System

Useful when changing lanes, a simple tap of the turn signal activates the signal light to flash three times.



Door Ajar Warning Buzzer

An alarm sounds if all doors are not firmly closed when the vehicle starts moving.



Delayed-Action Power Window

Power windows remain operational for 30 seconds after the engine is shut off.







Leather Wrapped Steering Wheel* with Electric Power Steering (EPS)
Provides better grip and effortless

Provides better grip and effortless manoeuvring.



Leather Gear Knob*

Wrapped in leather for a luxurious touch.



Fully Automatic Digitised Air-Conditioner*

Automatically adjusts fan speed for cool driving comfort.



2-Din Audio System with USB / iPod Interface

Take in-car audio entertainment to a new level with plug and play iDevices.

Bright View Meter Cluster

Brightness-adjustable instrument panel that's clear and easy to see.



Multi-Information Display

Ensures vital information about the car is always at your fingertips.





Odometer

Trip Meter





Driving Range Display

Service Reminder





Average Fuel
Consumption

Meter Illumination Control

*Only available on GS (CVT) variant

Note: Some equipment may vary according to market. Please consult your local Mitsubishi dealer/distributor for more information.

SMALL IS MORE SECURE

Equipped with essential safety features, the Mirage delivers absolute driving peace-of-mind.


RISE

The Mitsubishi RISE (Reinforced Impact Safety Evolution) body has been proven to improve safety in collisions.

Its high tensile steel impact-absorbing frame effectively absorbs and disperses crash energy from all directions.

High Tensile steel application





Authorised Dealer:



www.mitsubishi-motors.com.my

